

***DETAILED ACTION***

***Election/Restrictions***

1. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 25-48, drawn to an aqueous based preparation for application to the skin or skin appendages.

Group II, claim(s) 49, drawn to a device for applying a preparation.

As set forth in Rule 13.1 of the Patent Cooperation Treaty (PCT), "the international application shall relate to one invention only or to a group of inventions." Moreover, as stated in Rule 13.2 PCT, Unity of Invention is satisfied "where a group of inventions is claimed in one and the same international application, the requirement of unity of invention referred to in Rule 13.1 shall be fulfilled only when there is a technical relationship among those inventions involving one or more of the same or corresponding special technical features. The expression "special technical features" shall mean those technical features that define a contribution which each of the claimed inventions, considered as a whole, makes over the prior art so linked as to form a single general inventive concept."

The technical feature linking groups I-II is a preparation for application to the skin. Ramin (in US 5,833,967) discloses a composition which can be applied to nails,

Art Unit: 1615

containing a dispersion of an acrylic polymer, a dispersion of polyurethane, and water (Col. 5, Example 4, lines 45-59). Claims 25-48 (Group I) (drawn to an aqueous based preparation for application to the skin or skin appendages) are anticipated by the disclosure of Ramin and lack novelty. Therefore, the technical feature linking the inventions of groups I-II does not constitute a special technical feature as defined by PCT Rule 13.2 as it does not define a contribution over the prior art.

As a result, as currently presented, the instant composition claims do not share a special technical feature with the device claim and, as such, unity between the above Groups I – II is broken.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions

Art Unit: 1615

unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aradhana Sasan whose telephone number is (571) 272-9022. The examiner can normally be reached Monday to Thursday from 6:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Woodward, can be reached at 571-272-8373. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Aradhana Sasan/  
Examiner, Art Unit 1615

/MP WOODWARD/  
Supervisory Patent Examiner, Art Unit 1615